

Solid finger jointed PANELS



Solid finger joint PANELS

Solid finger joint panels are made of lengthwise finger-jointed lamellas laminated widthwise until the panel is formed. It is the ideal product for stairs, worktops, furniture, decoration, carpentry, flat surfaces, etc. It adapts to all uses in which solid wood is traditionally used.



Dimensions

LAMELLA WIDTH 20mm			THICKNESS (mm)						
	WIDTH (mm)	LENGTH (mm)		19	26	32	42	52	
SWEET CHESTNUT • EUROPEAN OAK • IROKO • LIGHT STEAMED BEECH • MAPLE • WHITE BEECH • SAPELLI • EUROPEAN CHERRY • WALNUT • ASH • TEAK • BLACK ACACIA	1220	2440 3300 4500		* *		* *	* *		





Technical properties of the product

- Type of glue: D3 in accordance with the standard UNE-EN 204
- Formaldehyde: Class E1 in accordance with the standard UNE-EN 13986
- Moisture content: 10 ± 2%
- Finger-joint: on the edge, not visible on the face of the panel
- Sanding: 120 Grit sandpaperPackaging: Individual wrapping

LAMELLA WIDTH 42mm		THICKNESS (mm)			
	WIDTH (mm)	LENGTH (mm)	19	32	42
SWEET CHESTNUT • EUROPEAN OAK • LIGHT STEAMED BEECH • WHITE BEECH • EUROPEAN WALNUT • IROKO • EUROPEAN ASH	1220	2440	*	*	*
		3300			
		4500			
	672 ¹	3300		*	

* Available in stock for Sweet chestnut, European oak, Iroko and light steamed beech

For other dimensions or species, please check with us





PRODUCT ADVANTAGES

- Better dimensional stability
- High quality finish
- Moisture content guaranteed
- Minimum waste
- Ready for immediate work
- Minimum stock
- Productivity improvement
- Large dimensions



Black acacia - Lamella width 42mm







Quality: A/B standard, other qualities available on request

Class A: Occasional small healthy knots

Class B: Small sapwood wedges (sweet chestnut

and European oak) and small knots

Class C: Sapwood, healthy knots and small black

knots

SPECIES

Sweet chestnut • European oak •
Light steamed beech • White beech •
Iberian walnut • Ash •
Maple • Cherry • Iroko • Sapelli •
Wengue • Zebrano • Black acacia



Photography: paularte.com



Los Cuetos s/n Argüelles. 33188 Siero - Asturias (España) Tel: +34 985 742 012 - Fax: +34 985 742 350 siero@sierolam.com

www.sierolam.com









