

LOGS


From the forest to your mill







From France, Belgium or Netherlands







LENGTH

3m and up 20cm free trim



DIAMETER

30-39cm 40-49cm *50*+

Depending on grade



White Oak

















LENGTH

3m and up 20cm free trim



DIAMETER

30-39cm 40-49cm *50+*

Depending on grade







LOGS

From the forest to your mill

Red Oak







From France, Belgium or Netherlands



Measured in the middle, over bark



LENGTH

3m and up 20cm free trim



DIAMETER

30-39cm 40-49cm *50+*

Depending on grade













Poplar





5.2m and multiples of 1.3m 20cm free trim



DIAMETER

30-39cm 40+

Depending on grade





Beech













Other species

Pine, Sycamore & others available under request.





3m and up 20cm free trim



DIAMETER

30-39cm 40-49cm *50+*

Depending on grade



LENGTH

3m and up 20cm free trim



DIAMETER

30-39cm 40-49cm *50+*

Depending on grade





LUMBER

Custom-sized to your needs



LENGTH

Sawing 2000mm

Invoice 1950mm



WIDTH

Sawing 235mm

Invoice 230mm



THICKNESS

Variable determined by multiples of 10mm, from 70mm to 450mm.



White Oak



Square-edged sawn beams, without any wane. Beams are sawn from fresh logs.







White Oak (*)













LENGTH

2m

& up

WIDTH

100mm & up







from 26mm to 60mm



DRY

KD MC 12% +/- 2% or AD



LUMBER

Custom-sized to your needs



LENGTH

2.0m -2.2m-2.6m-3m



WIDTH

100mm & up



THICKNESS

from 26mm to 60mm



DRY

KD 12% (+/-2%)



Beech



Red Oak



LENGTH

2.0m -2.2m-2.6m-3m



WIDTH

100mm & up



Available under request.



THICKNESS

from 26mm to 60mm



DRY

KD 12% (+/-2%)











